



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,720	11/03/2003	Carl A. Caspers	55508-296715	3548
25764	7590	05/10/2005		
FAEGRE & BENSON LLP PATENT DOCKETING 2200 WELLS FARGO CENTER MINNEAPOLIS, MN 55402			EXAMINER SNOW, BRUCE EDWARD	
			ART UNIT 3738	PAPER NUMBER

DATE MAILED: 05/10/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/699,720

Applicant(s)

CASPER, CARL A.

Examiner

Bruce E Snow

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 December 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-33 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-4 and 21 is/are allowed.
- 6) ☒ Claim(s) 5-20 and 22-33 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 8/30/04.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____.

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 12/07/04 have been fully considered. The Examiner's position is believed to be adequately explained in the grounds of rejection below.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 5-11, 20, 26-33 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Regarding claim 5, "indicator" is new matter.

Regarding claims 26 and 29, the specification fails to teach a "vibratory" alarm which is new matter.

Regarding claim 27, the specification fails to teach the sensor is partially within the wall of the liner which is new matter.

Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 3738

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claims 5-7, 9-16, 18, 22, 24-30, 32-33 are rejected under 35 U.S.C. 102(b) as being anticipated by Mak (State-of-the-art research in lower-limb prosthetic biomechanics-socket interface).

Mak teaches an apparatus/method comprising:

(a) prosthetic socket having at least one sensor positioned at least partially within a wall of the socket for sensing at least one of pressure and temperature

(b) an indicator of the value by the at least one sensor (inherently having some type of read out (such as a oscilloscope, strip chart, etc.) wherein a doctor knows the sensed value is beyond normal limitations of the body and causes physical harm and

Art Unit: 3738

makes adjustments (indicator). Additionally, a value limit can be zero, therefore any reading is beyond a value limit.

Regarding claim 10, "vacuum" see pneumatic sensor on page 2.

Claims 22-24 are rejected under 35 U.S.C. 102(b) as clearly being anticipated by Havey (Methodology-Measurements, Part II, Instrumentation and Apparatus.

Claims 12-13 and 15-19 are rejected under 35 U.S.C. 102(b) as being anticipated by Wilson (4,387,472).

Wilson teaches an apparatus/method comprising:

(a) at least one sensor 50, 52 for sensing at least one of pressure, **force**, temperature, and moisture, wherein the at least one sensor can be configured with value limits, and

(b) an alarm 62 when a value sensed by the at least one sensor is beyond a value limit.

A socket is inherent. The device of Wilson is configured to sense force "with respect to a socket or residual limb".

Regarding claims 15-16 and 18-19, Wilson teaches a force sensor with meets the limitations of claim 12, these claims merely further define elements which are not necessary to fulfill the claim language.

Art Unit: 3738

Claims 12-13, 15-19 are rejected under 35 U.S.C. 102(b) as being anticipated by Sabolich et al (6,500,210).

Referring to at least figures 1-2, Sabolich et al teaches an apparatus comprising:

(a) at least one sensor 120, 122 for sensing at least one of pressure, force, temperature, and moisture, wherein the at least one sensor can be configured with value limits, and

(b) an alarm 128, 130, 132, 134 when a value sensed by the at least one sensor is beyond a value limit.

Regarding the computer, see 304.

Regarding "setting sensor value limits", it is interpreted the device gives no feedback when no weight is on the foot, therefore, the value limit was inherently set. Also see at least elements 424 and 426.

Regarding claims 15-16 and 18-19, these claims merely further define elements which are not necessary to fulfill the claim language.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wilson or Sabolich et al. They teach the device/method above, however, are unclear regarding

Art Unit: 3738

a liner. It is well known in the art to use a liner in a socket and would have been obvious to one having ordinary skill in the art to have utilized one with the device/method of Wilson for comfort.

Regarding the step of sensing pressure, Wilson teaches a force sensor which is relied upon to meet the limitations of claim 12.

Allowable Subject Matter

Claims 1-4 and 21 allowed.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Art Unit: 3738

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bruce E Snow whose telephone number is (571) 272-4759. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on (571) 272-4754. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3738

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

bes

A handwritten signature in black ink, appearing to read 'BSN', with a long, sweeping horizontal line extending to the right.

BRUCE SNOW
PRIMARY EXAMINER